



MATERIAL SAFETY DATA SHEET
EMERGENCY PHONE NUMBER INFOTRAC 800-535-5053

Table with Hazard Ratings (4-Extreme, 3-High, 2-Moderate) and Health/Fire/Reactivity/Specific values (1, 0, 0, X).

MFG/DIST: L&C ENTERPRISES, INC.
2357 HWY. 53
POPLARVILLE, MS 39470
PHONE NUMBER: 601-795-4147

SECTION 1: IDENTIFICATION

PRODUCT NAME: UNIVERSAL DRESSING C122

SECTION 2: HAZARDOUS INGREDIENTS

Table with columns: NAMES OF HAZARDOUS INGREDIENTS, CAS#, PERCENTAGE, PEL-OSHA, TLV-ACGIH. Row: Ethylene Glycol, 107-21-1, >1, NE, 50PPM.

THIS PRODUCT CONTAINS NO CARCINOGENS: (NTP, IARC, OSHA):

SECTION 3: HEALTH HAZARD DATA

HEALTH EFFECTS (Acute and Chronic)

ACUTE

- a) Eyes---Can cause severe irritation, redness, tearing, blurred vision.
b) Skin---Prolonged or repeated contact can cause moderate irritation, defatting, dermatitis.
c) Inhalation---Mild irritation.
d) Ingestion---Can cause gastro-intestinal irritation, nausea, vomiting and diarrhea.

CHRONIC -

- a) Inhalation may increase susceptibility to respiratory illness.

PRIMARY ROUTES OF ENTRY: a) Skin b) Inhalation

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Pre-existing skin, eye and respiratory disorders may be aggravated by exposure to product.

EMERGENCY FIRST AID PROCEDURES:

- a) Skin---Immediately flush skin with lots of running water for at least 30 minutes. Remove contaminated clothing and shoes. Wash before reuse.
b) Eyes---Flush immediately with large quantities of running water for at least 15 minutes. Consult physician.
c) Inhalation---If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing is stopped, give artificial respiration. Keep person warm, quiet and get medical attention.
d) Ingestion---Do not induce vomiting. Call physician immediately. If conscious give lots of water or milk. Do not give anything by mouth to an unconscious or convulsing person.

SECTION 4: CHEMICAL DATA

Table with chemical data: BOILING POINT (F)...> 212, VAPOR PRESSURE (mmHg): 25, VAPOR DENSITY (AIR=1)...> 1, SOLUBILITY IN WATER: 100%, APPEARANCE AND ODOR INFORMATION: Slightly opaque milky liquid lemon odor.

SECTION 5: PHYSICAL HAZARD DATA

FLASH POINT (Method Used): None FLAMMABLE LIMITS: LEL = N/A UEL = N/A EXTINGUISHING MEDIA: Not considered a fire hazard, but it's residue can burn, after water evaporates. In case of fire use water spray, carbon dioxide, alcohol type foam applied by manufactures. SPECIAL FIRE FIGHTING PROCEDURES: N/A. UNUSUAL FIRE EXPLOSION HAZARD: None. INCOMPATIBILITY (Material To Avoid) Salt solutions or acids may coagulate the product. HAZARD DECOMPOSITION PRODUCTS: After water evaporates, residue may burn to give oxides of carbon and traces of hydrocarbons. HAZARDOUS POLYMERIZATION WILL NOT OCCUR. THIS PRODUCT IS STABLE.

SECTION 6: SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Avoid contact with alkalizes, glass, concrete and other silicone containing materials, metal and many other materials including rubber, leather and certain organic substances. WASTE DISPOSAL METHODS: Dispose of according to local, state and federal regulations for products containing organic polymers.

SECTION 7: EXPOSURE CONTROL INFORMATION

VENTILATION

LOCAL EXHAUST: Below TLV (s)

MECHANICAL (General): Explosion Proof

SPECIAL.....: N/A

OTHER.....: N/A

RESPIRATORY PROTECTION: An appropriate NIOSH approved hydrocarbon canister or respirator for organic vapor should be worn if needed.

PROTECTIVE GLOVES: Wear resistant gloves such as nitrile rubber, PVC, etc

OTHER PROTECTIVE EQUIPMENT: Eye wash and quick drench facilities. OTHER ENGINEERING

CONTROLS: None Known: WORK PRACTICES: Eye wash fountain and safety shower should be easily accessible. Discard properly such as items as rags and trash soaked with the product. Provide adequate ventilation.

HYGIENIC PRACTICES: Avoid contact with eyes, skin and clothing. Avoid inhalation of product vapors. Wash thoroughly after handling and before eating, drinking or smoking. Remove contaminated clothing promptly and wash thoroughly before reuse.

SECTION 8: SPECIAL PRECAUTION

PRECAUTION TO BE TAKEN IN HANDLING AND STORAGE:

- a) Do not store under freezing conditions or above 120 degrees F.
- b) Do not store near acids or acidic materials and oxidizers.

MAINTENANCE PRECAUTIONS: When working with FLAMMABLE material electrically ground all equipment and use only non-sparking tools.

OTHER PRECAUTIONS: Containers even those that have been emptied will retain product residue and vapors. Always obey hazard warnings.

OTHER ADDITIONAL COMMENTS: Extinguishing Media: Keep containers cool with water spray using fog nozzles.

SHIPPING INFO, UN/NA #'s, Secondary container label INFO NECESSARY OR SUGGESTED:

KEEP OUT OF REACH OF CHILDREN